

Receiving Report

Date: 13/12/23
Supplier: TH755614

Batch No: M127822
Dart P/O: 20369

Packing Slip: Yes ☒ No ☐
Invoice: Yes ☐ No ☒
Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
Waybill Attached: Yes ☐ No ☒
Shipment Complete: Yes ☒ No ☒ N/A ☐
QC6 Inspection ☒ N/A ☐
Work Order 8131231 N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|--------------|---------------------|------------------|-------------------|-------------------|----------------|----------|
| <u>M7075</u> | <u>6B.0375x6-10</u> | <u>36</u> | <u>0</u> | <u>0</u> | <u>36</u> | |
| | | | | | | |
| | | | | | | |

Initials of receiver (if shipment OK) Level 12

Production/Admin: 13/12/23
Date
Received/Costing
Initial C

Location _____

Purchase Order Receipt Listing

Monday, December 23, 2013 1:16:55 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO22364 Receipt Dates from 12/23/2013 to 12/23/2013 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---|-----------------------|------------|---|-----------------------|---------------|------------------------|----------------------|------------------------------|--|----------------------------|------------|
| Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd | | | | | | | | | | | |
| PO22364 | 5 | | M7075T6B1.500X8.5 f 00 | | 12/20/2013 | 12/23/2013 | 20.0000 | \$65.16 | 0.0000 | 0 | \$1,303.17 |
| CAD | No | | 7075-T6 BAR 1.500" f X 8.500" m127822 | | 20.0000 | DES102 | | \$1,303.17 | 0.0000 | 0 | |
| | 6 | | M7075T6B1.250X2.0 f 00 | | 12/20/2013 | 12/23/2013 | 36.0000 | \$15.30 | 0.0000 | 0 | \$550.84 |
| | No | | 7075-T6 BAR 1.250" f X 2.000" m127822 | | 36.0000 | DES102 | | \$550.84 | 0.0000 | 0 | |
| Total Received Quantity: | | | | | | | | | | | 56.0000 |
| Total Qty to Inspect (PO U/M): | | | | | | | | | | | 0.0000 |
| Total Reject Quantity: | | | | | | | | | | | 0.0000 |
| Total Receipt Value: | | | | | | | | | | | \$1,854.01 |
| Total Balance Due Quantity: | | | | | | | | | | | 0.0000 |

B I L L O F L A D I N G

Ship From: THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

23 dec
No: PEC 855990
Ship Date 19 Dec 13 at 12:40 From PFW
Probill
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-635567- 1 Your PO # 22364
Part # QQ-A-250/12 Rel #
ALUMINUM PLATE 7075-T651
1.50" THICK X 8.5000" X 12.0000"

Heat Number Tag No
461351 582156

Quantity PCS Wt LBS
14.17 SFT 20 331

MTR

2) Our Order PEC-635567- 2 Your PO # 22364
Part # QQ-A-250/12 Rel #
ALUMINUM PLATE 7075-T651
1.250" THICK X 2.0000" X 144.0000"

Heat Number Tag No
R09667 582167

Quantity PCS Wt LBS
6.00 SFT 3 116

MTR

TOTAL: Tags PCS LBS
2 23 447

Heat Number
R09667

*** Chemical Analysis ***

ADD ON TO 635521 SUR-CHARGE ADDED

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

SHIP FROM:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

SHIP TO: (1)
DART AEROSPACE

NO: PEC 855990
SHIP DATE 19Dec13 at 12:40 From PFW
PROBILL
Via VIM TRANSFER
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

B I L L O F L A D I N G

TOTAL 1 BDL, 1 SKID GW. 500 LBS

***** CLOSED FOR THE HOLIDAYS *****
ON DEC. 25TH & 26TH, 31ST & JAN. 1ST.
WE ARE OPENED FOR BUSINESS ON DEC. 24, 27 & 30.
HAVE A HAPPY HOLIDAY SEASON!
*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

ALUMINUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

46544

48086

COPPER&BR W86503 4075 INCLUSION SERIAL#: 20131008W86503 PAGE 1 OF 3

| | | | | | |
|--|-------------|-------------------------------------|------------------|--------------------------|-------------------|
| CUSTOMER PURCHASE ORDER NO. & ITEM 5400196101 | | Constellium ORDER NO. 110-513377 | | | |
| ALLOY 7075 | CLAD. 00 | TEMPER T651 | GAUGE 1.53000 | WIDTH 60.500 | LENGTH 144.500 |
| ITEM ORDERED MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION AMS-QQ-A-250/12 | | | | | |
| PART NUMBER ALFLR00998 | | B/L NUMBER W86500 | | DATE SHIPPED 10/09/13 | |
| WEIGHT SHIPPED 5,640 | | NO. OF PIECES 4 | | GOVT. CONTRACT NO. | |

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
Rt 2 South, Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Rodney J. Felty
Rodney J. Felty - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|--|---------------------------------|-----------------|--------------------------|------|-----------------------|--------|---------------|-----------|-------------|-----------|------|----------|------|------|------|----------|------|--------------|---------------|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | | | | | | | | | |
| 461351 | LT | 2 | ***** T651 80.7 | 80.8 | 70.3 | 71.2 | ***** 12.5 | 12.5 | | | | | | | | | | | |
| All material contained in lot 461351 was cast and manufactured in the USA. | | | | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS | | | | | | | | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | | | | | | | |
| AMS 4045K AND ASTM B209-10 | | | | | | | | | | | | | | | | | | | |
| 8 13/12/31 | | | | | | | | | | | | | | | | | | | |
| CHEM COMP | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. |
| | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | | |
| | ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | | |

P-860-155D (06/11)

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402868713

CstAr CstOr 254595

Wgt.: 331 LB Date 12/17/2013

John R. Zambetti



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

46544

48086

COPPER&BR W86503 4075 INCLUSION SERIAL#: 20131008W86503 PAGE 2 OF 3

| | | | | | |
|--|-------------|----------------------|------------------|-------------------------------------|-------------------|
| CUSTOMER PURCHASE ORDER NO. & ITEM 5400196101 | | | | Constellium ORDER NO. 110-513377 | |
| ALLOY 7075 | CLAD. 00 | TEMPER T651 | GAUGE 1.53000 | WIDTH 60.500 | LENGTH 144.500 |
| ITEM ORDERED MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION AMS-QQ-A-250/12 | | | | | |
| PART NUMBER ALFLR00998 | | B/L NUMBER W86500 | | DATE SHIPPED 10/09/13 | |
| WEIGHT SHIPPED 5,640 | | NO. OF PIECES 4 | | GOVT. CONTRACT NO. | |

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
Rt 2 South, Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Rodney J. Felty
Rodney J. Felty - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|---------------|-------------------|---------------------------------|---|----------|-----------------------|----------|--------------|-----------|-------------|-----------|------|----------|------|------|------|----------|------|--------------|---------------|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | | | | | | | | | |
| 461351 | C | | ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | |
| | | | SI= 0.10 | FE= 0.15 | CU= 1.42 | MN= 0.04 | MG= 2.60 | | | | | | | | | | | | |
| | | | CR= 0.19 | ZN= 5.67 | TI= 0.03 | ZR= 0.01 | | | | | | | | | | | | | |
| | | | OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER | | | | | | | | | | | | | | | | |
| CHEM COMP. | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. |
| | | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | |
| | | ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | |

P-860-155D (06/11)

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402868713

CstAr

CstOr 254595

Wgt.: 331 LB

Date 12/17/2013

John R. Zambetti



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES
1015 SAINT JEROME STREET
MISHAWAKA IN

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

46544

48086

COPPER&BR W86503 4075 INCLUSION SERIAL#: 20131008W86503 PAGE 3 OF 3

| | | | | | | | |
|--|-------------|----------------------|------------------|-------------------------------------|-------------------|---|--|
| CUSTOMER PURCHASE ORDER NO. & ITEM 5400196101 | | | | Constellium ORDER NO. 110-513377 | | CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC Rt 2 South, Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA <i>Rodney J. Felty</i> Rodney J. Felty - Laboratory Manager | |
| ALLOY 7075 | CLAD. 00 | TEMPER T651 | GAUGE 1.53000 | WIDTH 60.500 | LENGTH 144.500 | | |
| ITEM ORDERED MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | | | |
| CUSTOMER SPECIFICATION AMS-QQ-A-250/12 | | | | | | | |
| PART NUMBER ALFLR00998 | | B/L NUMBER W86500 | | DATE SHIPPED 10/09/13 | | | |
| WEIGHT SHIPPED 5,640 | | NO. OF PIECES 4 | | GOVT. CONTRACT NO. | | | |

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|--|---------------------------------|-----------------|--------------------------|------|-----------------------|--------|--------------|-----------|-------------|-----------|------|----------|------|------|------|--------------|---------------|--------|--|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | | | | | | | | | |
| THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. | | | | | | | | | | | | | | | | | | | |
| CHEMISTRY BY OES: ARKSPARK | | | | | | | | | | | | | | | | | | | |
| CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT. | | | | | | | | | | | | | | | | | | | |
| WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399. | | | | | | | | | | | | | | | | | | | |
| WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557. | | | | | | | | | | | | | | | | | | | |
| Mark Paperwork: ALFLR00998 | | | | | | | | | | | | | | | | | | | |
| DUNS Number: 090570149; CAGE Code: 1YWL9 | | | | | | | | | | | | | | | | | | | |
| Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product. | | | | | | | | | | | | | | | | | | | |
| "END OF CERTIFICATION" | | | | | | | | | | | | | | | | | | | |
| CHEM COMP | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. | | |
| | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | | |
| | ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | | |

P-860-155D (06/11)

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402868713

CstAr CstOr 254595

Wgt.: 331 LB Date 12/17/2013

Constellium Valais SA

CH-3960 Sierre
Suisse

Aerospace and Transportation
Europe - AT Valais, Usines de Sierre et Steg

Tel : +41(0) 27 457 51 11
http://www.constellium.com



CONSTELLIUM ROLLED PRODUCTS
RAVENSWOOD, LLC

US -26164 RAVENSWOOD

INSPECTION CERTIFICATE

According To EN 10204-3.1
Disp. Advice / Cert 0080234333
Date 08/05/2013 Page 1

Your Order 7075 plates
Project
Dated 01/04/2013
Our Confirmation No. 142628-40
Customer No. 606281
Sales Contact Fabienne Salamin
++41 (27) 457 6432
Certificate Dpt : 41 27 457 66 92

Aluminium plates in AA7075-T651, mill finish, Alumitex paper interleaved
To AMS 4045K, AMS QQ-A-250/12 August 1997, ASTM B209 and SIE0002

Your article : 001-300795

| Lot | Production No. | Weight | Quantity | Dimensions |
|--------|----------------|-------------|----------|---------------------------|
| R09667 | 6240518 | 4537.04 Lbs | 5 | 1.250" x 48.50" x 144.50" |

Mechanical and technological properties

| Sample | Temper | Ksi-UTS | Ksi-YS | A%2Inch | HB | | | | | | | |
|---------|--------|---------|--------|---------|----|--|--|--|--|--|--|--|
| min-max | T651 | >=77 | >=67 | >=6 | | | | | | | | |
| min-max | | | | | | | | | | | | |

Measured values

| | | | | | | | | | | | | |
|----------|------|------|------|----|-----|--|--|--|--|--|--|--|
| R09667-1 | T651 | 82.9 | 74.5 | 12 | 177 | | | | | | | |
| R09667-2 | T651 | 83.2 | 74.4 | 12 | 176 | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Chemical composition

Required composition (% by weight)

| Casting No | Si | Fe | Cu | Mn | Mg | Cr | Ni | Zn | Ti | | |
|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| Min | | | 1.2 | | 2.1 | .18 | | 5.1 | | | |
| Max | .40 | .50 | 2.0 | .30 | 2.9 | .28 | .05 | 6.1 | .20 | | |

Analysis results (% by weight)

Other elements: Each <= 0.05% Total <= 0.15%

| | | | | | | | | | | | |
|----------|------|------|------|------|------|------|-------|------|------|--|--|
| 31004812 | 0.07 | 0.18 | 1.57 | .037 | 2.49 | 0.19 | .0052 | 5.75 | .031 | | |
|----------|------|------|------|------|------|------|-------|------|------|--|--|

Remark

This certificate of conformance verifies that the organization took effective control of quality to meet the specified requirements on both the sales order(s) and the customer purchase order(s)

*** COUNTRY OF ORIGIN AND MANUFACTURE : SWITZERLAND ***

Compliant to the European Union Directive 2011/65/EU also known as RoHS

Alain Thurre

Inspection Department

Valid without signature 03

Système de Management certifié

ISO 9001 / ISO 14001 / OHSAS 18001

FORM: 1006

WORKORDER:

2402868713

COPPER AND BRASS SALES

MATERIAL TYPE

ALUMINIUM ALLOYS

PRODUCT DESIGNATION

2014 2024 2224 2324 7050 7075 7150 7175 7475 ALUMEC 89 ALUMEC 99 QC-7

"WARNING"

SMALL CHIPS,FINE TURNINGS AND DUST MAY IGNITE READILY.EXPLOSION POTENTIAL MAY BE PRESENT WHEN:DUST OR FINES ARE DISPERSED IN THE AIR; FINE, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH CERTAIN METAL OXIDES; OR,CHIPS,FINES,DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH WATER OR MOISTURE.KEEP AWAY FROM IGNITION SOURCE.USE EXPLOSION-PROOF VENTILATION.KEEP MATERIAL DRY.

THIS PRODUCT CONTAINS BERYLLIUM AND COPPER.INHALING BERYLLIUM DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE (CBD),A SERIOUS CHRONIC LUNG DISEASE IN SOME INDIVIDUALS.BERYLLIUM IS A CANCER HAZARD;OVER TIME CBD AND CANCER CAN BE FATAL,TARGET ORGAN IS PRIMARILY THE LUNG.INHALING LARGE AMOUNTS OF COPPER,MAGNESIUM OXIDE,MANGANESE OXIDE,AND ZINC OXIDE FUMES OR DUST MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS.CHRONIC OVEREXPOSURE TO COPPER MAY CAUSE THICKENING OF THE SKIN;AND SKIN,TEETH,AND HAIR DISCOLORATION.CHRONIC OVEREXPOSURE TO MANGANESE DUST CAN CAUSE CENTRAL NERVOUS SYSTEM DAMAGE,SCARRING OF THE LUNGS AND REPRODUCTIVE HARM IN MALES.TARGET ORGAN IS PRIMARILY THE LUNG,BUT REPEATED HIGH EXPOSURE CAN ALSO AFFECT THE LIVER.CHRONIC OVEREXPOSURE TO IRON OXIDE DUST/FUME MAY CAUSE LUNG SIDEROSIS.CHRONIC OVEREXPOSURE TO SILICON DUST CAN CAUSE CHRONIC BRONCHITIS.OVEREXPOSURE TO AMORPHOUS SILICA CAN CAUSE DRYING OF THE MUCOUS MEMBRANES OF THE EYES,NOSE,AND THROAT.

THIS PRODUCT ALSO CONTAINS NICKEL AND CHROMIUM COMPOUNDS.INHALATION OF NICKEL DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACT AND CAUSE NASAL AND/OR LUNG CANCER.NICKEL HAS BEEN IDENTIFIED AS A POTENTIAL HUMAN CARCINOGEN.EXPOSURE TO CHROMIUM DUST OR FUMES MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE.UNDER HIGH TEMPERATURES,HEXAVALENT CHROMIUM MAY BE PRODUCED,IF IN THE INSOLUBLE FORM,IT IS A CONFIRMED HUMAN CARCINOGEN.(CALIFORNIA PROPOSITION 65).

IF COATED WITH OIL,MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT.WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.
READ THE ALUMINIUM/ALUMINIUM ALLOYS MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

* If processing or recycling produces particulate,use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding,grinding,abrasive sawing,sanding and polishing.Any activity which abrades the surface of this material can generate airborne particulate.Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.

* The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures.

* Aluminum, in solid form and as contained in finished products presents no special health risk.

* Sold for manufacturing purposes only.This product can be recycled; contact your sales representative.

For additional information, call or write to Copper and Brass Sales,22355 West Eleven Mile Road, Southfield, MI 48033,telephone 248-233-5600, or visit our web site @ www.copperandbrass.com.

ISSUED 10/01/2008

ALUMINUM LABEL NO. 300-1056



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO22364

Purchase Order Date 12/11/2013

PO Print Date 12/11/2013

Page Number 1 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
12/13/12/14

| | | | |
|-----------------|----------------|----------------|----------------------|
| Contact Name | | Buyer | Chantal Lavoie |
| Vendor Phone | 905 669 9444 | Customer POID | |
| Ship To Contact | | Customer Tax # | 10127-2607 |
| Ship To Phone | | Terms | Net 30 |
| Ship Via: | VENDOR'S TRUCK | Currency | CAD |
| Ship Acct: | | FOB | FCA - (Free Carrier) |

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
| 1 | M6061T6H1.000 | 6061-T6 HexBar 1.00 | 12/20/2013 Yes 12/20/2013 | | 24.00 f | \$1.85 | \$44.40 |

MATERIAL:6061-T6/T651T6510/T6511/T62 ALUMINUM HEX BAR
SPEC: QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8(OR AMS 4160) OR ASTM B211 OR ASTM B221

Line Total: \$44.40

| | | | | | | | |
|---|----------------------|-------------------------|---------------------------------|--|------------|--------|----------|
| 2 | M6061T6B0.750X04.000 | 6061-T6 Bar .750 x 4.00 | 12/20/2013 Yes 12/20/2013 | | 36.00 f | \$6.63 | \$238.68 |
|---|----------------------|-------------------------|---------------------------------|--|------------|--------|----------|

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

12/13/12/20

Line Total: \$238.68

Note:

12/11/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO22364

Purchase Order Date 12/11/2013

PO Print Date 12/11/2013

Page Number 2 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

| | | | | | | |
|---|----------------------|-------------------------|------------|-------|--------|----------|
| 3 | M6061T6B1.000X04.000 | 6061-T6 Bar 1.00 x 4.00 | 12/20/2013 | 24.00 | \$8.71 | \$209.05 |
| | | | Yes | f | | |
| | | | 12/20/2013 | | | |

AS ABOVE

Line Total: \$209.05

| | | | | | | |
|---|----------------------|------------------------|------------|-------|---------|----------|
| 4 | M6061T6B1.000X06.000 | 6061T6 BAR 1.00 X 6.00 | 12/20/2013 | 12.00 | \$13.26 | \$159.10 |
| | | | Yes | f | | |
| | | | 12/20/2013 | | | |

AS ABOVE

Line Total: \$159.10

| | | | | | | |
|---|---------------------|-----------------------------|------------|-------|---------|------------|
| 5 | M7075T6B1.500X8.500 | 7075-T6 BAR 1.500' X 8.500" | 12/20/2013 | 20.00 | \$69.20 | \$1,384.00 |
| | | | Yes | f | | |
| | | | 12/20/2013 | | | |

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-A-200/11 OR CUT FROM PLATE QQ-A-250/12

NOTE PLEASE CUT TO SIZE: 20 PCS CUT @ 12"

Line Total: \$1,384.00

Note:

12/11/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO22364**

Purchase Order Date 12/11/2013

PO Print Date 12/11/2013

Page Number 3 of 3

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone

Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

| | | | | | | |
|---|---------------------|-----------------------------|------------|-------|---------|----------|
| 6 | M7075T6B1.250X2.000 | 7075-T6 BAR 1.250" X 2.000" | 12/20/2013 | 36.00 | \$16.25 | \$585.00 |
| | | | Yes | f | | |
| | | | 12/20/2013 | | | |

AS ABOVE

Line Total: \$585.00

| | | | | | | |
|---|---------------------|-----------------------------|------------|-------|---------|----------|
| 7 | M7075T6B0.375X6.000 | 7075-T6 BAR 0.375" X 6.000" | 12/20/2013 | 36.00 | \$16.25 | \$585.00 |
| | | | Yes | f | | |
| | | | 12/20/2013 | | | |

AS ABOVE

Line Total: \$585.00

PO Total: \$3,205.23

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.
No substitution or deviation without consent.
Certificate of Conformity or Material Certification required - YES NO
PST# 6122-5207

Change Nbr:

2

Change Date: 12/11/2013